

HISTORIC AMERICAN ENGINEERING RECORD

INDEX TO PHOTOGRAPHS

HAER NO. WV-48

WARWOOD TOOL COMPANY
Foot of 19th Street
Wheeling
Ohio County
West Virginia

Jack E. Boucher, photographer; 31 July 1990

- WV-48-1 GENERAL VIEW OF EAST (FRONT) FROM NORTHEAST
- WV-48-2 SOUTH (FRONT) AND WEST SIDE OF PARTS STORAGE (FOREGROUND) AND MACHINE SHOP (BACKGROUND), LOOKING NORTHEAST
- WV-48-3 PERSPECTIVE VIEW OF SOUTH (FRONT) STORAGE/MACHINE SHOP SECTION
- WV-48-4 SOUTH (FRONT) ELEVATION OF STORAGE/MACHINE SHOP SECTION
- WV-48-5 SOUTH (FRONT) ELEVATION OF STORAGE/MACHINE SHOP SECTION, WITH SCALE
- WV-48-6 GENERAL VIEW OF MATERIAL UNLOADING AND STORAGE SECTION FROM SOUTHWEST
- WV-48-7 GENERAL INTERIOR VIEW FROM CENTER OF SHOP LOOKING NORTH
- WV-48-8 INTERIOR VIEW, SHEARING OF RAW STOCK USING CLEVELAND SHEAR; JOHN TOTH, OPERATOR
- WV-48-9 INTERIOR VIEW OF EYE PRESS AREA; TO LEFT IS A TWO-BAY SLOTTED TYPE FURNACE, TO CENTER IS EYE PRESS, TO RIGHT IS CURCULAR SAW
- WV-48-10 INTERIOR VIEW OF EYE PRESS AREA, SAME AS ABOVE WITH MEN AT WORK: CRAIG TSCHAPPAT, HEATER; JEFF MILLER, OPERATOR; JOHN TOTH, SAWMAN
- WV-48-11 INTERIOR VIEW OF EYE PRESS AREA, DETAIL OF SLOTTED TYPE FURNACE
- WV-48-12 INTERIOR VIEW OF SINGLE BAY SLOTTED TYPE FURNACE (LEFT) AND CHAMBERSBURG DROP HAMMER OPERATED BY JEFF HOHMAN (RIGHT); THE FURNACE IS USED TO PRE-HEAT THE STEEL PRIOR TO FORGING, TOOL IS POST HOLE DIGGER WITH TAMPING BAR

WARWOOD TOOL COMPANY
HAER NO. WV-48 (page 2)

- WV-48-13 INTERIOR VIEW OF BLISS #74 1/2 PRESS OPERATED BY JEFF HOHMAN; USED TO TRIM THE EXCESS METAL OR FLASH FROM BLADE END OF POST HOLE DIGGER
- WV-48-14 INTERIOR VIEW, DETAIL OF TRIMMED FLASH; FLASH IS EXCESS METAL EXTRUDED BETWEEN THE DIES USED TO FORGE THE BLADE END OF THE POST HOLE DIGGER
- WV-48-15 INTERIOR VIEW OF TWO-INCH ACME UPSETTER (LEFT) AND SINGLE BAY SLOTTED TYPE FURNACE (RIGHT); CRAIG TSCHAPPAT, OPERATOR THE UPSETTER FORGES THE TAMPING BAR ON THE POST HOLE DIGGER
- WV-48-16 INTERIOR VIEW OF PRE-HEATED BAR FROM FURNACE (RIGHT) BEING OFFERED INTO THE UPSETTER; CRAIG TSCHAPPAT OPERATOR
- WV-48-17 VIEW OF PRE-HEATED BAR FROM FURNACE (RIGHT) BEING SHAPED BY THE UPSETTER; CRAIG TSCHAPPAT OPERATOR
- WV-48-18 INTERIOR VIEW OF ROUGH FORGED TOOLS (FOREGROUND) WHICH ARE PRE-HEATED IN THE FURNACE (REAR RIGHT) AND THEN FORGED WITH THE BRADLEY HAMMER (LEFT) AS SHOWN BY JAMES GLASPELL
- WV-48-19 INTERIOR VIEW OF BRADLEY HAMMER (BEHIND JAMES GLASPELL, OPERATOR; BLURRED BY MOTION) IN OPERATION
- WV-48-20 INTERIOR VIEW, BRAD CURRY AND JAMIE GLASPELL REBUILDING A SLOTTED TYPE FURNACE
- WV-48-21 INTERIOR VIEW, WILLIAM GRAY AT SLOTTED TYPE FURNACE WITH A BRADLEY HAMMER IN THE FOREGROUND
- WV-48-22 INTERIOR VIEW, WILLIAM GRAY OPERATING THE BRADLEY HAMMER, WITH UPPER IMPRESSION DIE RAISED READY TO FORGE TOOL
- WV-48-23 INTERIOR VIEW, WILLIAM GRAY OPERATING THE BRADLEY HAMMER, WITH UPPER AND LOWER IMPRESSION DIES CLOSED
- WV-48-24 INTERIOR VIEW, WILLIAM GRAY AT SIZING GUAGE ADJACENT TO BRADLEY HAMMER; NOTE THIS IS THE SAME TOOL AS BEING FORGED ABOVE
- WV-48-25 INTERIOR VIEW, DETAIL OF SIZING GUAGE ADJACENT TO BRADLEY HAMMER
- WV-48-26 INTERIOR VIEW, CHAMBERSBURG DROP HAMMER (LEFT) AND NIAGARA PRESS (RIGHT); NOTE WOOD SHAFT USED TO RAISE DROP HAMMER

WARWOOD TOOL COMPANY
HAER NO. WV-48 (page 3)

- WV-48-27 INTERIOR VIEW, ERIE DROP HAMMER; NOTE HAMMER IS IDLE, NO WOOD SHAFT TO RAISE HAMMER
- WV-48-28 INTERIOR VIEW, DETAIL OF NIAGARA PRESS
- WV-48-29 INTERIOR VIEW, EYE PRESS
- WV-48-30 INTERIOR VIEW, BAR ROLL FORGE
- WV-48-31 INTERIOR VIEW, BAR ROLL FORGE
- WV-48-32 INTERIOR VIEW, BLISS PRESS
- WV-48-33 INTERIOR VIEW, PRESS
- WV-48-34 INTERIOR VIEW, HABS/HAER TEAM MEMBER, MARK RADVEN DRAWING THE BRADLEY HAMMER
- WV-48-35 INTERIOR VIEW, WHEELBRATOR-FRYE SHOT PEENER FOR REMOVAL OF RUST AND SCALE; NOTE TOOLS ARE TUMBLED WITH BLASTED WITH LEAD SHOT TO CLEAN SURFACES
- WV-48-36 INTERIOR VIEW, NORTON GRINDER, TYPE-S USED TO GRIND ROUGH EDGES OFF THE FORGED TOOLS; NOTE OPERATOR IS FINISH GRINDING BLADE END OF A POST HOLE DIGGER AND TAMPING BAR
- WV-48-37 INTERIOR VIEW, PAINTING AREA SHOWING PAINT VAT AND CONVEYOR LINE WITH THE TOOLS HANGING FROM HOOKS TO DRY; NOTE PINCH POINT CROW BARS (CENTER)
- WV-48-38 INTERIOR VIEW, DENISON MULTI-PRESS FOR INSERTION OF WEDGES ONTO HANDLES AND CUTTING OFF SCRAP END OF HANDLE FOLLOWING WEDGE INSERTION, BRIAN KIMBLE, OPERATOR

HISTORIC AMERICAN ENGINEERING RECORD

INDEX TO PHOTOGRAPHS

ADDENDUM TO:
WARWOOD TOOL COMPANY
Foot of Nineteenth Street
Wheeling
Ohio County
West Virginia

HAER WV-48

Photographs HAER No. WV-48-1 to WV-48-38 were transmitted previously to the Library of Congress.

INDEX TO COLOR TRANSPARENCIES

Jack E. Boucher, photographer,

WV-48-39 (CT) General view of the east front (duplicate of HAER No. WV-48-1)